

Cancer Prevention and Control, Client-Oriented Screening Interventions: Client Incentives – Cervical Cancer (2008 Archived Review)

Table of Contents

Review Summary	2
Intervention Definition	2
Summary of Task Force Finding	2
Results from the Systematic Reviews	2
Publications.....	2
Task Force Finding.....	3
Intervention Definition	3
Task Force Finding.....	3
Supporting Materials	4
Analytic Framework.....	4
Evidence Gaps.....	4
What are Evidence Gaps?	4
Identified Evidence Gaps.....	4
Search Strategy	4
General.....	5
Breast cancer.....	5
Cervical cancer	5
Colorectal cancer	5
Disclaimer.....	5

Review Summary

Intervention Definition

Incentives are small rewards (e.g., cash or coupons) that encourage people to accept cancer screening. They can be offered alone or in combination with other strategies (e.g., client reminders). The cancer screening review assessed the effectiveness of client incentives when used alone.

Summary of Task Force Finding

The Community Preventive Services Task Force finds insufficient evidence to determine the effectiveness of client incentives alone in increasing screening for cervical cancer, because no studies qualified for review.

The Task Force has related findings for client incentives specific to the following:

- [Breast cancer](#) (insufficient evidence)
- [Colorectal cancer](#) (insufficient evidence)

Results from the Systematic Reviews

No studies addressing client incentives qualified for review.

These findings were based on a systematic review of all available studies, conducted on behalf of the Task Force by a team of specialists in systematic review methods, and in research, practice and policy related to cancer prevention and control.

Publications

Baron RC, Rimer BK, Breslow RA, et al. [Client-directed interventions to increase community demand for breast, cervical, and colorectal cancer screening: a systematic review](#) [www.thecommunityguide.org/cancer/screening/client-oriented/Cancer2008_ClientDirected_Demand.pdf]. *Am J Prev Med* 2008;35(1S): S34-55.

Task Force on Community Preventive Services. [Recommendations for client- and provider-directed interventions to increase breast, cervical, and colorectal cancer screening](#) [www.thecommunityguide.org/cancer/screening/client-oriented/Cancer2008_TaskForceRecs.pdf]. *Am J Prev Med* 2008;35(1S): S21-5.

The following Task Force finding and supporting materials are for client incentive interventions to increase breast, cervical, and colorectal cancer screening.

Task Force Finding

Intervention Definition

Client incentives are small, non-coercive rewards (e.g., cash or coupons) to motivate people to seek cancer screening for themselves or to encourage others (e.g., family members, close friends) to seek screening. Incentives are distinct from interventions designed to improve access to services (e.g., transportation, child care, reducing out-of-pocket client costs), which are considered separately.

Task Force Finding (July 2008)*

A review of available scientific evidence identified no studies evaluating the use of incentives alone. Therefore, evidence is insufficient to determine the effectiveness of client incentives alone in increasing screening for breast, cervical, or colorectal cancers.

*From the following publication:

Task Force on Community Preventive Services. [Recommendations for client- and provider-directed interventions to increase breast, cervical, and colorectal cancer screening](http://www.thecommunityguide.org/cancer/screening/client-oriented/Cancer2008_TaskForceRecs.pdf) [www.thecommunityguide.org/cancer/screening/client-oriented/Cancer2008_TaskForceRecs.pdf]. *Am J Prev Med* 2008;35(1S): S21-5.

Supporting Materials

Analytic Framework

See Figure 1 on page S36 of Baron RC, Rimer BK, Breslow RA, et al. [Client-directed interventions to increase community demand for breast, cervical, and colorectal cancer screening: a systematic review](#) [www.thecommunityguide.org/cancer/screening/client-oriented/Cancer2008_ClientDirected_Demand.pdf]. *Am J Prev Med* 2008;35(1S): S34-55.

Evidence Gaps

What are Evidence Gaps?

Each Community Preventive Services Task Force (Task Force) review identifies critical evidence gaps—areas where information is lacking. Evidence gaps can exist whether or not a recommendation is made. In cases when the Task Force finds insufficient evidence to determine whether an intervention strategy works, evidence gaps encourage researchers and program evaluators to conduct more effectiveness studies. When the Task Force recommends an intervention, evidence gaps highlight missing information that would help users determine if the intervention could meet their particular needs. For example, evidence may be needed to determine where the intervention will work, with which populations, how much it will cost to implement, whether it will provide adequate return on investment, or how users should structure or deliver the intervention to ensure effectiveness. Finally, evidence may be missing for outcomes different from those on which the Task Force recommendation is based.

Identified Evidence Gaps

- Are these interventions potentially effective in increasing screening of these cancer sites?
- Are some incentives (e.g., ones of greater cash value or of greater appeal) more effective than others?
- Do these interventions result in other positive or negative changes in healthcare services (e.g., blood pressure monitoring or adult immunization) or health behaviors (e.g., smoking or physical activity)?
- Could incentives become a barrier to developing routine recommended screening practices or reducing patient autonomy in decision making?

Search Strategy

The following outlines the search strategy used for reviews of these interventions to increase breast, cervical, and colorectal cancer screening: Client Reminders (archived); Client Incentives (archived); Mass Media Targeting Clients (archived); Small Media Targeting Clients; Group Education for Clients (archived); One-on-One Education for Clients (archived); Reducing Structural Barriers for Clients (archived); Reducing Client Out-of-Pocket Costs (archived); Provider Assessment and Feedback (archived); Provider Incentives (archived).

To establish the evidence base the team searched five computerized databases from the earliest entries in each through November 2004: MEDLINE, database of the National Library of Medicine (from 1966); the Cumulative Index to Nursing and Allied Health database (CINAHL, from 1982); the Chronic Disease Prevention database (CDP, Cancer Prevention and Control subfield, from 1988); PsycINFO (from 1967); and the Cochrane Library databases. Medical subject headings (MeSH) searched (including all subheadings) are shown below. The team also scanned bibliographies from key articles and solicited other citations from other team members and subject-matter experts. Conference abstracts were not

included because, according to Community Guide criteria, they generally do not provide enough information to assess study validity and to address the research questions.

The search identified over 9000 citations whose titles and abstracts were screened for potential relevance to interventions and outcomes of interest; of these, 580 articles were retrieved for full-text review.

Search terms used in five electronic databases to find studies for inclusion in the systematic reviews of cancer screening. Searches were conducted to find all studies of cancer screening including those specific to screening for breast, cervical, or colorectal cancer.

General

Neoplasms—combined with any of the following headings:

Early detection

Mass screening

Multiphasic screening

Preventive health services

Screening

Breast cancer

Breast neoplasms

Mammography

Cervical cancer

Cervical intraepithelial neoplasia

(Uterine) cervical neoplasms

Cervix dysplasia

Vaginal smears

Colorectal cancer

Colonic neoplasms

Colorectal neoplasms

Occult blood

Sigmoid neoplasms

Sigmoidoscopy

From: Baron RC, Rimer BK, Coates RJ, et al. Methods for conducting systematic reviews of evidence on effectiveness and economic efficiency of interventions to increase screening for breast, cervical, and colorectal cancers. *Am J Prev Med* 2008;35(1S):26-33.

Disclaimer

The findings and conclusions on this page are those of the Community Preventive Services Task Force and do not necessarily represent those of CDC. Task Force evidence-based recommendations are not mandates for compliance or spending. Instead, they provide information and options for decision makers and stakeholders to consider when determining which programs, services, and policies best meet the needs, preferences, available resources, and constraints of their constituents.

Document last updated September 25, 2013